
Non-toxic Plain Colour EVA mat/Solid foam mat From
<http://www.matfoam.com/>

| | |
|----------|-------------|
| MODEL: | 60*60cm |
| SIZE: | 24"24" 1/2" |
| PACKAGE: | 4pcs/set |


Plain Colour EVA mat/Solid foam mat

Dimension: 24" x 24" x .47"(12mm) (4-Pack) Soft-Tiles.com Foam Flooring is the only multi-purpose foam flooring that has been tested and received an ASTM F 963 07 Child Safe rating. It is also the only foam mat that has a UL 94 HBF Fire Retardant Safety rating. Our Foam Flooring is also Non-toxic, Latex Free, Lead Free, Allergen Free, Phthalate Free and Odor Free.

HIGHLIGHTS

- Includes 2 edges per tile
 - Each tile is 1/2" thick x 24"
 - Set includes 6 different colored tiles
 - Mold and mildew resistant
 - These tiles interlock with our regular Eco-Soft tiles
 - Closed cell EVA
-
- Using soft EVA foam floor mats provide a fun, cushioned surface for your little one. Made of 12"X12" & 24"x24" interlocking foam pieces, the mats create a soft base for creative play, insulate your child from cold floors, and add a great contemporary look to any room.

Colour Choice:



Use multiple sets to cover larger areas
 Safe, soft, durable and easy to wipe clean with soap and water
 Easy to pack away when not in use
 100% EVA Foam

| APPLICATIONS | FEATURES | PROPERTIES |
|------------------|--|--------------------------|
| Pre-schools | Environmentally Friendly - Made from Recycled Materials | Child Safe |
| Day Care Centers | Reversible - patented design allows use of both sides for aesthetic checkerboard design or for replacing damaged tile surfaces | (ASTM F 963-07) |
| Churches | Child Safe | Fire retardant |
| Basements | Non Toxic - Lead Free/Latex Free | (UL 94 Test Rating HB F) |

| | | |
|-----------------------|---|--------------------|
| Exercise Rooms | | Moisture Resistant |
| | Closed Cell High Density foam helps resist moisture | |
| and Home Gyms | Flexible and Extremely Durable | Odorless |
| Kid's Play Areas | Shock Absorbent | Anti-slip |
| Laundry Rooms | | Anti-Fatigue |
| | Acoustic and Thermal Insulation properties | |
| | Protects surfaces from damage | |
| Garages and Workshops | | |
| | Easy to Clean - use mild soap and water. Test your | |
| Camping/Recreation | | |
| | vacuum prior to using and adjust to its highest setting | |
| | and Do Not use the power brush feature. | |
| Construction Traffic | Portable - easy to assemble and disassemble to transport. | |
| Anti-fatigue Areas | | |
| | Floating floor - no adhesives needed or recommended | |
| Trade Shows | Anti-slip textured surface | |

Packing:

HONG-DE CO.,



Lab & Research:



Factory environment



Factory environment



Factory environ

soft-tiles.com



Factory environment



Factory environment



Factory environ

hongdeind.com



Factory environment



Factory environment





Factory environ

Workshop:



Europe, USA Certificate:



High Density Taekwondo Floor Mat:

HONG-DE CO.,



Soft-Tiles.com

Soft-Tiles.com